

MITEL

Cordless Accessories

Expand your communications range

New accessories from Mitel® offer the freedom of cordless mobility and the

feature richness of a desktop phone.

With the Mitel Cordless Handset you're free to move around when on a call—and the Mitel Cordless Headset gives you further hands-free convenience. No more missed calls when you step away from your desk to go to the printer or speak to a colleague a few desks away! A key benefit for any office or home-based call center users. DECT-based, the Cordless Headset can be used in high-density environments. Designed specifically for the Mitel 5330, 5340, and 5360 IP Phones, many features have been integrated into the headset itself.



Key Features

Features of the cordless accessories include:

- Initiate call / end call key
- Volume control keys
- Mute key
- Built-in ringer in the Cordless Handset
- Place outbound calls while mobile with programmable "Auto Speed Dial" upon off-hook
 – Speak@Ease or "0" or Secretary speed-call
- LED indicators on the Cordless Accessories Module, Cordless Handset, and Cordless Headset indicate both connectivity and charging status
- Eight hours talk time
- Forty-three hours standby time
- Battery recharge time of three hours or less
- Operating range of up to 300 feet (100 meters) from the 5330, 5340, and 5360 IP Phones
- Integrated functionality of the Cordless Headset eliminates the need for a handset lifter
- Out of communications range warning tone
- Support for two cordless devices (Cordless Handset and Cordless Headset) per Cordless Accessories Module
- Audible warning for low battery
- DECT-based design: Standard DECT and DECT 6.0 cordless technology provides higher quality voice transmission, density, and less interference compared to Bluetooth
- Supported on the Mitel 3300 IP Communications Platform (ICP) and in the future on the Mitel SX-200 IP Communications Platform (ICP)

Technical Specifications

Supported Phones:

- Mitel 5330 IP Phone
- Mitel 5340 IP Phone
- Mitel 5360 IP Phone

Minimum System Software Requirements

- 1. Mitel Communications Director (MCD): Minimum system software is MCD Release 4.0 SP1
- 2. Mitel 5000 Communications Platform (CP): Minimum system software is 5000 CP Release 3.0
- 3. SX-200 ICP: Minimum system software is Release 4.0, UR3
- 4. Mitel Teleworker Solution: Minimum system software is Release 4.5

| Feature | Specification | | |
|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--|--|
| Wireless Technology | DECT operating at 1.9 GHz: 1880 – 1900 MHz (Standard DECT) (UK / Europe) 1920 – 1930 MHz (DECT 6.0) (North America) | | |
| Transmission Power | 63mW | | |
| Power Consumption | 3 W | | |
| Operating Environment: Temperature Humidity | +10 to +40C / 50°F to104°F 15% at +40C, 95% at 29C | | |
| Storage Environment: Temperature Humidity | 0 to +40C / 32°F to 140°F 34% at +40C, 95% at 29C | | |
| Range | Up to 300 feet in a typical office environment | | |
| Talk Time on a Single Charge: Cordless Handset Cordless Headset | 8 hours 9 hours | | |
| Standby Time: Cordless Handset Cordless Headset | 48 hours 43 hours | | |
| Cordless Handset / Cordless Headset Battery Recharge Time | 3 hours | | |
| Cordless Headset Microphone | Noise-canceling | | |
| Cordless Headset Weight | 0.84 oz (26g) | | |
| Battery Type | Lithium polymer | | |
| Security | 64-bit digital encryption | | |

Cordless Module / Cordless Handset / Cordless Headset – North American-Variant (DECT 6.0) (1920 – 1930 MHz)

United States

Canada

Cordless Module / Handset / Headset – EURO-Variant (Standard DECT) (1880 – 1900 MHz)


United Kingdom

Europe (EU)

Australia, New Zealand

| Global Headquarters | U.S. | EMEA | CALA | Asia Pacific |
|-----------------------|-----------------------|------------------------|-----------------------|---------------------|
| Tel: +1(613) 592-2122 | Tel: +1(480) 961-9000 | Tel: +44(0)1291-430000 | Tel: +1(613) 592-2122 | Tel: +852 2508 9780 |
| Fax: +1(613) 592-4784 | Fax: +1(480) 961-1370 | Fax: +44(0)1291-430400 | Fax: +1(613) 592-7825 | Fax: +852 2508 9232 |

www.mitel.com



For more information on our worldwide office locations, visit our website at www.mitel.com/offices

M MITEL (design) is a registered trademark of Mitel Networks Corporation. All other products and services are the registered trademarks of their respective holders.

© Copyright 2009, Mitel Networks Corporation. All Rights Reserved.

